

# MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING

## **ELECTRONIC OPERATED**









K-175 Electronic Faucets Included On All "EF" Models



### **FEATURES:**

8 1/2" high backsplash.

**Standard Series:** 8" sink bowl depth. **A.D.A. Series:** 5" sink bowl depth.

Stainless steel "Z" brackets.

3 1/2" K-6 rear basket drain(s).

Tubular stainless steel legs with flanged feet.

Side & rear adjustable cross-bracing with leg clamps.

**Electronic Operated:** Includes **K-175** Electronic Faucet(s).

### **CONSTRUCTION:**

All TIG welded.

Welded areas blended to match adjacent surfaces and to a satin finish.

### **MATERIAL:**

16 gauge type "304" stainless steel.

1 5/8" tubular "304" stainless steel supports.

### **MECHANICAL:**

Single faucet hole punch at each station.

# Of Stations	16 Gauge Sinks Without Faucets	# Of Faucets
1	19-FM-23EF	1 Faucet
2	19-FM-40EF	2 Faucets
2	19-FM-48EF	2 Faucets
3	19-FM-60EF	3 Faucets
3	19-FM-72EF	3 Faucets
4	19-FM-80EF	4 Faucets
4	19-FM-96EF	4 Faucets
5	19-FM-100EF	5 Faucets
6	19-FM-120EF	6 Faucets

& A.D.A. COMPLIANT - 5" BOWL DEPTH							
# Of Stations	16 Gauge Sinks Without Faucets	# Of Faucets					
2	19-FM-40EFADA	2 Faucets					
2	19-FM-48EFADA	2 Faucets					
3	19-FM-60EFADA	3 Faucets					
3	19-FM-72EFADA	3 Faucets					
4	19-FM-80EFADA	4 Faucets					
4	19-FM-96EFADA	4 Faucets					
5	19-FM-100EFADA	5 Faucets					
6	19-FM-120EFADA	6 Faucets					

MARNING: Equipment that include faucets on this page may contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.



Customer Service Available To Assist You 1-800-645-3166 8:30 am - 7:00 pm E.S.T.

For Orders & Customer Service:

Email: customer@advancetabco.com or Fax: 631-242-6900

For Smart Fabrication™ Quotes:
Email: smartfab@advancetabco.com or Fax: 631-586-2933

TOL ± .500" FITTINGS SUPPLIED AS SHOWN ALL DIMENSIONS ARE TYPICAL

# MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING ELECTRONIC OPERATED SEE PAGE 3 FOR PLUMBING ROUGH-INS Stainless Steel Rear & Sides

# Of Stations	L	16 Gauge Sinks Without Faucets	Wt.	# Of Drains	# Of Faucets	Cu.					
STANDARD - 8" DEPTH											
1											
2	40"	19-FM-40EF	75	1	2	15					
2	48"	19-FM-48EF	83	1	2	16					
3	60"	19-FM-60EF	94	1	3	22					
3	72"	19-FM-72EF	102	1	3	23					
4	80"	19-FM-80EF	118	1	4	28					
4	96"	19-FM-96EF	132	1	4	30					
5	100"	19-FM-100EF	145	2	5	35					
6	120"	19-FM-120EF	170	3	6	42					
& A.D.A. COMPLIANT: 5" DEPTH &											
2	40"	19-FM-40EFADA	70	1	2	16					
2	48"	19-FM-48EFADA	79	1	2	16					
3	60"	19-FM-60EFADA	90	1	3	22					
3	72"	19-FM-72EFADA	99	1	3	23					
4	80"	19-FM-80EFADA	112	1	4	28					
4	96"	19-FM-96EFADA	140	1	4	30					
5	100"	19-FM-100EFADA	138	2	5	35					
6	120"	19-FM-120EFADA	162	3	6	42					





Adjustable Cross-Bracing

TOL ± .500" FITTINGS SUPPLIED AS SHOWN ALL DIMENSIONS ARE TYPICAL

# MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING


# **ELECTRONIC OPERATED**





### **Leg Support Locations**

Model #	L1	L2	L3	L4	
19-FM-23EF	2 5/8"	20 3/8"	N/A	N/A	
19-FM-40EF	2 5/8"	37 3/8"	N/A	N/A	
19-FM-48EF	2 5/8"	45 3/8"	N/A	N/A	
19-FM-60EF	2 5/8"	57 3/8"	N/A	N/A	
19-FM-72EF	2 5/8"	69 3/8"	N/A	N/A	
19-FM-80EF	2 5/8"	77 3/8"	N/A	N/A	
19-FM-96EF	2 5/8"	38 1/4"	57 3/4"	93 3/8"	
19-FM-100EF	2 5/8"	40 1/4"	59 3/4"	97 3/8"	
19-FM-120EF	2 5/8"	40"	80"	117 3/8"	



# Of Stations	L	16 Ga. Without Faucets	В	С	D	X1	Х2	Х3	X4	Х5	Х6
STANDARD - 8" DEPTH											
1	23"	19-FM-23EF	11 1/2"	N/A	8"	11 1/2"	N/A	N/A	N/A	N/A	N/A
2	40"	19-FM-40EF	20"	N/A	8"	11"	29"	N/A	N/A	N/A	N/A
2	48"	19-FM-48EF	24"	N/A	8"	11"	37"	N/A	N/A	N/A	N/A
3	60"	19-FM-60EF	30"	N/A	8"	11"	30"	49"	N/A	N/A	N/A
3	72"	19-FM-72EF	36"	N/A	8"	11"	36"	61"	N/A	N/A	N/A
4	80"	19-FM-80EF	40"	N/A	8"	11"	30 5/16"	49 11/16"	69"	N/A	N/A
4	96"	19-FM-96EF	27"	42"	8"	11"	35 11/16"	60 5/16"	85"	N/A	N/A
5	100"	19-FM-100EF	29"	42"	8"	11"	30 1/2"	50"	69 1/2"	89"	N/A
6	120"	19-FM-120EF	29"	31"	8"	11"	29"	51"	69"	91"	109"
& A.D.A. COMPLIANT: 5" DEPTH &											
2	40"	19-FM-40EFADA	20"	N/A	5"	11"	29"	N/A	N/A	N/A	N/A
2	48"	19-FM-48EFADA	24"	N/A	5"	11"	37"	N/A	N/A	N/A	N/A
3	60"	19-FM-60EFADA	30"	N/A	5"	11"	30"	49"	N/A	N/A	N/A
3	72"	19-FM-72EFADA	36"	N/A	5"	11"	36"	61"	N/A	N/A	N/A
4	80"	19-FM-80EFADA	40"	N/A	5"	11"	30 5/16"	49 11/16"	69"	N/A	N/A
4	96"	19-FM-96EFADA	27"	42"	5"	11"	35 11/16"	60 5/16"	85"	N/A	N/A
5	100"	19-FM-100EFADA	29"	42"	5"	11"	30 1/2"	50"	69 1/2"	89"	N/A
6	120"	19-FM-120EFADA	29"	31"	8"	11"	29"	51"	69"	91"	109"



ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.